

Postellation: A DTN Implementation for Fast Applications Deployment

Marc Blanchet, Simon Perreault, Jean-Philippe Dionne
Viagénie

Marc.Blanchet@viagenie.ca

<http://viagenie.ca>

Copyright Viagénie 2010



Plan



- Background
- Key Design Considerations
- Features
- HTTP over DTN
- DTN News Service
- Virtual DTN Cloud and demo



Delay-Tolerant Networks




- Requirements:
 - Delay-tolerant
 - Disruption-tolerant
 - Network
 - instead of point to point links
 - Reliability
- Basic atomic element is a bundle (RFC5050)
- Carried over a convergence layer:
 - Terrestrial: TCP, UDP
 - Space: Licklider Transport Protocol (RFC5326)
 - over CCSDS links
- Store and Forward

Copyright Viagénie 2010



Example of DTN

METERON Reference Mission



- A Rover Control Center which manages the overall robotic operations
- A Mission Control Center which manages the space mission by transmitting Telemetry/Command messages via the Ground Stations
- A Manned Orbiter (or Surface Habitat) from which crew teleoperate the surface robotic elements
- A Relay Satellite which interconnects:
 - the Rovers with the Manned Orbiter/Surface Habitat, other surface Rovers, and; with the Ground

From: Multipurpose End-To-End Robotic Operations Network (METERON), ESA/NASA

Copyright Viagénie 2010

Current Issues with DTN Software



- Some implementations are big, heavy, complicated
 - Many not ready for flying
- Applications to use DTN need to be written from scratch
 - No standardized API. Even standardized, new network API.
 - New logic
 - Application need to be deeply aware of DTN network layer
 - Consequence: long long development time. No reuse.
- Complicated usage for end-users
 - No current usage in terrestrial world.
 - Codepaths are not exercised.



Postellation



- Name comes from:
 - <post>ellation:
 - Postal service is store and forward “network”
 - Has optional “custody”
 - post<ellation>:
 - Constellation => network
- Project:
 - Implementation of DTN
 - DTN simulation cloud



Key Design Considerations



- **Lean Bundle** protocol implementation
 - → good for embedded systems
- **Smart HTTP proxy**
 - → enabling Web/SOA application developers to use DTN “transparently”
- **Easy** deployment of DTN networks
 - → enabling a much larger number of end-users to use DTN, develop a community, applications, ...



Features



- written in lean and “vanilla” C → for embedded systems
- Portable code: compiles/runs/tested on:
 - Linux (kernel 2.6+)
 - *BSD, MacOSX (Leopard, Snow Leopard)
 - Windows (from XP to W7)
 - RTEMS (4.10+)
- Bundle Protocol (RFC5050)
- Convergence Layers:
 - UDP, TCP and TCP-TLS
- Transport: IPv4 *and* IPv6

Copyright Viagénie 2010



Features (cont.)



- Included applications:
 - dtnping/dtnpong
 - dtnsend/dtnrecv
 - HTTP/HTTPS Proxy
 - RSS news service delivery, such as NASA news over DTN!
- Packagers for Windows, MacOSX and Linux
- Automated registration of nodes to our DTN node:
 - ***No configuration to do.***
 - ***And you are connected to the DTN network***



HTTP Proxy



- Support:
 - http
 - https
 - or any http tunnels
- Smarts to facilitate transparency of Web applications over DTN
- Implemented as a local proxy
 - For bundling HTTP requests into Bundles
- With a remote proxy
 - For unbundling HTTP requests and sending them over IP




Interoperability



- Tested with the various DTN implementation in the middle of the Postellation DTN Cloud:
 - DTN2
 - IBR
 - ION
- Interop test plan from RFC5050 was created and applied against the implementations.




Exemple Scenario



Meteron


Increment 5
Topology




From: Multipurpose End-To-End Robotic Operations Network (METERON), ESA/NASA

Copyright Viagénie 2010

Demonstration (1)



Demonstration (2)



Available to Try and Use



- Implementation:
 - has been tested in production work for weeks
 - connected automatically to the DTN node and HTTP proxy
- If you would like to test it out, go to:
 - <http://postellation.viagenie.ca> (via IPv4, IPv6 or DTN)
 - After downloading, uncompress, then run the “start” program. This will start Bundle Protocol, HTTP proxy and registers the node to the DTN network.
 - After running it, you can also subscribe to our RSS News Service Delivery over DTN, to receive your NASA news over DTN!



Conclusion



- **Lean** BP implementation → good for embedded systems
- Ported to most OS
- **Smart** http/https proxy for easy application deployment
- **Easy** deployment by automating registration and configuration
- Available to use: <http://postellation.viagenie.ca>



Questions?



Marc.Blanchet@viagenie.ca

This presentation: <http://www.viagenie.ca/publications/>

References

- <http://postellation.viagenie.ca>

